





innovation technology quality design innovation technology quality design innovation

Products catalogue

 System Salamander

 System bluEvolution





Salamander Streamline 76

Comfort of living and security




TECHNICAL SPECIFICATIONS

Chamber	5
Gasket	2
Profile depth	76 mm
Glazing	Standard glass bundle: 24 mm, optionally: 48 mm
Seal	Grey, black
Fittings	Maco Multi Matic
Handle	Standard
Cover	White
U_f	1,3 W/m ² K
U_w^*	1,3 W/m ² K with compound glass $U_g=1,1$ W/m ² K
RAL colour	From 9003 to 9016
Class	B

* Reference window: 1230 x 1480 mm


Soft-line



TECHNICAL SPECIFICATIONS

Frame	250 221
Sash	251 021
Glazing bead (24 mm)	413 833

Round-line



TECHNICAL SPECIFICATIONS

Frame	250 221
Sash	251 221
Glazing bead (24 mm)	413 730




Salamander Streamline 76

TECHNICAL SPECIFICATIONS

Frame	250 100
Sash	251 021
Glazing bead (24 mm)	413 833


Soft-line Reno



TECHNICAL SPECIFICATIONS

Frame	250 100
Sash	251 221
Glazing bead (24 mm)	413 730

Round-line Reno





Salamander Streamline 76


TECHNICAL SPECIFICATIONS

Frame	250 148
Sash	251 021
Glazing bead (24 mm)	413 833


TECHNICAL SPECIFICATIONS

Frame	250 148
Sash	251 221
Glazing bead (24 mm)	413 730

Soft-line Reno



Round-line Reno





BluEvolution 92

ELEGANCE

Perfect combination of innovative solutions and tried and tested technology, slim frame profile and modern shape.

ENERGY SAVER

The A-class profile (92 mm width) guarantees good thermal insulation and high energy efficiency due to new glazing systems up to 60 mm width.

STABLE CONSTRUCTION

Secure moving of heavy, thick window sets with specially designed and reinforced chambers.

ROBUSTNESS

Triple sealing system offer optimum protection.

ECOLOGY

Recyclability of the entire window profile thanks to first-rate vinyl that can be separated by material types for recycling.



Climate friendly and optimal energy efficiency

The window of the future



TECHNICAL SPECIFICATIONS

Chamber	6
Gasket	3
Profile depth	92 mm
Glazing	Standard glass bundle: 48 mm, optionally: 60 mm
Seal	Grey, black
Fittings	Maco Multi Matic
Handle	Standard
Cover	White
U_f	0,94 W/m ² K
U_w *	0,84 W/m ² K with compound glass $U_g = 0,5$ W/m ² K
RAL colour	From 9003 to 9016
Class	A

* Reference window: 1230 x 1480 mm




BluEvolution 92

TECHNICAL SPECIFICATIONS

Frame	170 820
Sash	171 020
Glazing bead (48 mm)	413 821


Soft-line



TECHNICAL SPECIFICATIONS


















Frame	170 820
Sash	171 826
Glazing bead (48 mm)	413 821

Round-line





Connectors and Extensions

Streamline 76	BluEvolution 92	Auxiliary profiles	
<p>Extension 20 mm</p>  <p>index 416 160</p>	<p>Extension 40 mm</p>  <p>index 476 164</p>	<p>90° coupling</p>  <p>index 416 210</p>	<p>135° coupling</p>  <p>index 416 240</p>
<p>Extension 30 mm</p>  <p>index 416 163</p>	<p>Extension 60 mm</p>  <p>index 476 170</p>	<p>Pipe connector</p>  <p>index NP0160</p>	<p>Small-H</p>  <p>index 406 255</p>
<p>Extension 40 mm</p>  <p>index 416 164</p>	<p>Static connector</p>  <p>index 476 273</p>	<p>Pipe adapter</p>  <p>index 416 251</p>	
<p>Extension 60 mm</p>  <p>index 416 170</p>			<p>Sill 165 mm</p>  <p>index 416 115</p>
<p>Extension 100 mm</p>  <p>index 416 176</p>			<p>Sill 145 mm</p>  <p>index 416 110</p>
<p>Static connector</p>  <p>index 416 273</p>			<p>Sill 77 mm</p>  <p>index 416 126</p>

Colour schemes

 Grey SAL 02 HS 436-5049	 Dark green SAL 03 HS 436-5021	 Dark Red SAL 06 HS 436-5013	 Beige grey SAL 09 REN 1019-050
 Green SAL 10 REN 6005050-167-580	 Steel blue SAL 11 HS 436-5006	 Blue SAL 14 REN 5007050-167-580	 Maroon SAL 19 REN 3005050-167-58
 Nut SAL 21 COVA 49201	 Swamp oak SAL 25 REN 2052089-167-580	 Mahogany SAL 26 COVA 49107	 Summer Douglas SAL 27 REN 3152009-167-58
 Alux DB703 SAL 37 HS 436-1014	 White antique SAL 39 HS 436-5053	 Vintage oak SAL 41 HS 436-3086	 Polar oak SAL 43 HS 456-3081
 Birke rose SAL 44 HS 436-3031	 Mountain pine SAL 50 HS 436-2009	 Gold oak SAL 51 COVA 49158	 Oregon 4 SAL 52 REN 1192001-167-58
 Cream SAL 59 HS 456-5015	 Vermont SAL 60 COVA 49254	 Meranti SAL 61 COVA 49233	 Tiama SAL 62 COVA 49237
 Montana SAL 63 COVA 49240	 Cheyenne SAL 64 REN 3214090-195	 Teak arte SAL 65 HS 436-3052	 Anthracite brushed SAL 67 HS 436-1006
 Aluminium brushed SAL 69 HS 436-1001	 Anthracite SAL 70 HS 436-5003	 Dark brown SAL 71 COVA 49116	 Agate grey SAL 72 REN 7038050-167
 Light grey SAL 73 REN 7035050-167-580	 Basalt grey SAL 74 REN 7012050-167-580	 Quartz SAL 78 REN 7039050-167	 Basalt grey sandgrain SAL 84 HS 436-7032
 Signal grey sandgrain SAL 87 REN 7004050-083-580	 Anthracite sandgrain SAL 88 HS 436-7003	 Grey quartz sandgrain SAL 90 HS 436-7047	

Colours may differ from the real status.

AIKON DISTRIBUTION ul. Łagiewnicka 25, 41-902 Bytom
www.aikondistribution.com e-mail: aikon@aikondistribution.pl

+48 734 466 090